	Hits	Search Text	DBs
	52	(375/354,371,373,374,375,376,31 6,322,324,327, 329/304,306,307,	
		332/117,123,126,127,	US-PGPUB;
		342/73,89,98,100,102,103).ccls.	USPAT; EPO; JPO;
1		and (pll or (phas\$7 near2 lock\$7	DERWENT;
		near2 loop\$7)) and (filters or	IBM_TDB
		slicers) and (charg\$7 near2	
		pumps) and @ad<"20021121"	
	52	(375/354,371,373,374,375,376,31	,
		6,322,324,327, 329/304,306,307,	
		332/117,123,126,127,	US-PGPUB;
2		342/73,89,98,100,102,103).ccls.	USPAT; EPO; JPO;
~		and (pli or (phas\$7 near2 lock\$7	DERWENT;
		near2 loop\$7)) and (filters or	IBM_TDB
		slicers) and (charg\$7 near2	
		pumps) and @ad<"20021121"	
	2	ep-1133060-\$.did.	US-PGPUB;
3			USPAT; EPO; JPO;
			DERWENT;
			IBM_TDB
	2	"6064272".pn.	US-PGPUB;
4			USPAT; EPO; JPO;
			DERWENT;
,			IBM_TDB
	1	wo-200227938-\$.did.	US-PGPUB; USPAT; EPO; JPO;
5			DERWENT;
			IBM_TDB
	2	"6181213".pn.	US-PGPUB;
			USPAT; EPO; JPO;
6			DERWENT;
			IBM_TDB
	2	"6181213".pn.	US-PGPUB;
			USPAT; EPO; JPO;
7			DERWENT;
			IBM_TDB

	Hits	Search Text	DBs
8	53	(375/354,371,373,374,375,376,31 6,322,324,327,294,293,286, 329/304,306,307, 332/117,123,126,127, 342/73,89,98,100,102,103).ccls. and (pll or (phas\$7 near2 lock\$7 near2 loop\$7)) and (filters or slicers) and (charg\$7 near2 pumps) and @ad<"20021121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	53	(375/354,371,373,374,375,376,316,322,324,327, 329/304,306,307, 332/117,123,126,127, 342/73,89,98,100,102,103).ccls. and (pll or (phas\$7 near2 lock\$7 near2 loop\$7)) and (filters or slicers) and (charg\$7 near2 pumps) and @ad<"20021121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	16	CRANINCKX-JAN-FRANS- LUCIEN.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB



Home | Logo | Logold | Access information | Ala

Welcome United States Patent and Trademark Office

BROWSE

SEARCH


MES XPLORS GUIDS

Search Session History

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search



Recent Search Queries

Wed, 4 Jul 2007, 1:25:57 PM EST

- ((((pll <or> (phase <near/2> look <near/2> loop)) <and> (filters <or> slicers)
 #1. <and> (charge <near/2> pumps))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)
- ((((pill<or> (phase <near/2> lock <near/2> loop)) <and> (filters <or> slicers)
 <ard> (charge <near/2> pumps))<n>metadata)) <and> (pyr >= 1950 <and> pyr
 <= 2002)</pre>
- (((cpll <or> (phase <near/2> look <near/2> loop)) <and> (filters <or> slicers)
 <and> (charge <near/2> pumps)) <in> metadata)) <and> (pyr >= 1950 <and> pyr
 <= 2002)</pre>
- (((([pll <or> (phase <near/2> lock <near/2> loop)) <and> (filters <or> slicers) <and> (charge <near/2> pumps))<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)
- ((((pll <or> (phase <near/2> look <near/2> loop)) <and> (multiplexer <and> (fig. demultiplexer) <and> (filters <or> slicers) <and> (charge <near/2> pumps)) <in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2002)

l

Help Contact Us Privac

& Copyright 2006 IE

